E&W OPNS 430 Waiver exam requirements:

Partial and full waivers are available only by exam

Exam:

- Three-hour, in-person exam.
- Can use a calculator, laptop, and any textbook but NO internet access
- Performance on the exam will determine whether a partial, full, or no waiver is received.
- Registration occurs through KelloggGroups (more information about this is on the
- Waiver Website
- Study Materials: Formula sheet and Queueing

For additional information on administration of the waiver exam, please contact Carol Lucido

See pages below for a sample exam and solutions



Operations 430

SAMPLE FINAL EXAM

This exam is open readings, open class handouts and open class notes. You are free to use the computer worksheets used in class. The only restrictions imposed are as follows:

- 1. You will have 180 minutes (three hours) to do this exam. You must stop working on the exam immediately when "time's up" is announced. Failure to do so will result in failing the exam.
- 2. You must do this exam completely by yourself. This includes not discussing the exam with anybody else until all students have taken the exam.
- 3. You may consult your textbook, class handouts (including material from the class website), and class notes. You may not use any other materials. You may use a calculator and/or laptop computer. A laptop may be used for a calculator or Excel only. *Using any email or instant messaging package will lead to failing the exam and hence the course.*
- 4. Write your answer in the space indicated. Show supporting calculations in the box below the question. The space provided should be seen as a *limit* not a *quota*. Anything written outside these areas will not be considered during grading. Rambling, unfocused qualitative answers and not giving quantitative answers in the requested units will be penalized. *If you use Excel, please show the formula you used on the exam so any mistakes can be tracked*. Please try to write legibly.

You should have 12 numbered pages. All questions are worth 5 points. The maximum score is 95 points.

Note: As a general rule, the Operations group does not pass back final exams. However, you may contact your professor to see your exam and the solution set after the posting of the grades.

I acknowledge and accept the Honor Code and the restrictions outlined above:

NAME (print):

(Sign):


In 2002, Baja Fresh was the leading chain in the quick-service, "Fresh-Mex" restaurant segment, which emphasizes freshly prepared meals. By 2005, it had lost that position to Chipotle Mexican Grill. Today, it lags behind both Chipotle and Qdoba Mexican Grill. Many industry observers claim that the breadth of Baja Fresh's menu is partially to blame. The chain has always offered a wide variety of items while Chipotle's menu features less than 20 choices. Why would the range of offerings be a problem for a quick-service restaurant?

Ouestion 2

When a Palu Gear store manages its inventory of jackets by ordering 520 jackets when inventory hits the reorder point of 188 jackets, it is using a pull system.

Circle one:	True	False	
Explain:			

Consider the following process:



Each activity is performed by a separate resource (activity A is performed by Lowell; Activity B is by Julio and so on). Activity A takes 8 minutes, Activity B takes 4 minutes, Activity D takes 9 minutes, and Activity E takes 10 minutes. Further, Dustin can process 10 units per hour. Note that Activity E cannot begin until a flow unit has completed both Activities C and D.

a) What is the bottleneck of the process? What is the capacity of the process (in units per hour)?

The bottleneck is______.

The process capacity is _____units per hour.

b) What is the theoretical flow time of the process (in minutes)?

The theoretical	flow time is	minutes.

- - c) If the process runs at 75% of capacity and there are on average 9 jobs in the system, what is the average flow time for a job (in hours)?

The average flow time is _____hours.

Companies like Motorola aim for six-sigma, which theoretically corresponds to just 2 defective parts per billion produced. Give **two** practical reasons why six-sigma would be a reasonable goal for a process.

 Reason 1.

 Reason 2.

Question 5

Agree or disagree with the following: At "3 σ " control limits, the probability that a process produces defectives (outside customer specifications) is around 0.3%.

Circle one:	True	False	
Explain:			

Pumping Iron, Inc. produces pistons used in various industrial pumps. A customer places a large order for pistons of diameter 10 cm. The customer says he will only accept pistons within a 0.2 cm tolerance (i.e., pistons between 9.8 cm and 10.2 cm are acceptable to the customer). Pumping Iron, Inc. sets the mean of its piston-production process at 10 cm.

a. Pumping Iron wants a 2.5σ process. What standard deviation should it aim for (in centimeters)? What fraction of output will conform to the customer's specification?

It should set its standard deviation to	centimeters and	l% of outp	ut
will be within the customer's specifications	3.		

b. Pumping Iron wants to introduce statistical process control. It tells the machine operator to use a sample size of 16. If Pumping Iron follows standard industry practice, how should it set its control limits?

UCL____cm LCL____cm

The gym facilities at Western University have recently been renovated with a significant amount of new workout equipment. The four new elliptical trainers have proven particularly popular. Indeed, they have been so popular that gym patrons have been complaining to gym manager Evan North about the difficulty of getting on the machines. Currently, there is a sign up board for each machine that can hold up to three names. Gym users are only allowed to sign up for one machine and must come to the gym to do so. Gym patrons frequently complain that they aren't even able to sign up for a machine. Gym users also complain about long waits once they get on the sign up board. Once a patron gets on a machine, he or she works out for any where between 15 and 70 minutes. The average user does a 30 minute work out on the machine. Users have suggested adding additional elliptical trainers. North would love to do this but doubts that Western would be willing to spend additional money on the gym so shortly after a major renovation. He wonders what else he could do improve the situation.

Provide North with three suggestions. For each one, say what impact you expect your suggestion to have on the ability to sign up for an elliptical trainer and on the wait to begin a work out. Explain why your proposal will deliver the expected results.

Option 1:



The Bedford Clinic is a large medical center affiliated with a regional heath maintenance organization. In order to keep costs down, the clinic has experimented with a number of programs to reduce the number of clinic visits per patient. In the pediatrics practice, for example, a system has been established to determine over the telephone whether a child with a cold or fever needs to see a doctor or whether the child can simply be treated at home. The process works as follows. All arriving calls to a pediatrics help line are answered by a single clerk who calls up the patient's computer record and then forwards the call along with the relevant patient information to a team of nurses. Thus, when a nurse from the team answers the forwarded call, information such as the patient's age and recent medical history simultaneously appears on the nurse's computer screen.

On the whole, the system has worked well but recently Joan Oates, the clinic's operations manager, has received a number of complaints. Primarily complaints have centered on long delays to speak with the clerk, the first step in the process. Patients see little value in this largely clerical step and resent waiting. There have also been a few complaints about getting busy signals when calling the pediatrics help line.

Two remedies have been suggested. The first requires re-programming the clinic's rather old phone system to increase the number of calls that can wait for the clerk from five to seven. The alternative is a modest change in the computerized form the clerk must complete before forwarding a call. This change would reduce the time of the clerk's task by 10%. Oates estimates that implementing either solution will cost roughly the same amount.

If only one of the proposals can be implemented, which would you recommend? Justify your answer.

Circle one: Add Phone Lines Alter Form

Because:

Wildcat Walk-In Clinics (WWIC) is a chain of medical clinics that specialize in convenient treatment of a limited range of basic illnesses. A typical WWIC is located in a drug store and is staffed by nurse practitioners (NPs). The NPs are the only employees at a location. WWIC has an average revenue of \$55 per patient visit. An NP spends on average 20 minutes to process a patient although there is significant variability in this time. (Assume the time is exponentially distributed.) NPs are paid \$15 per hour plus \$10 per patient seen.

a) A particular WWIC location is staffed with 2 NPs. Patients arrive at a rate of 3.9 per hour. (The time between patients is approximately exponentially distributed.) What is utilization of the NPs? What is the probability that a patient has to wait before being seen by a NP?

The utilization of the nurse practitioners is _____%.

The probability a patient has to wait is _____%.

b) WWIC is considering offering patients who wait more than 15 minutes before being seen a \$10 discount on their visit. What would be the clinic's hourly margin if this plan were implemented?

The clinic's hourly margin would be \$_____per hour.

For the next two statements consider the following scenario:

Superfast manufactures and sells a wide variety of motors to industrial customers. All motors cost about the same and are assembled on the same line. Switching over from assembling one motor to another requires about two hours regardless of the motors involved. Superfast assembles motors to be stocked in distribution center from where they are shipped as orders arrive. HP is the highest selling motor (in terms of units sold) and LP is the lowest selling.

Statement 1:

The average cycle inventory of HP motors will be

Circle One:	LOWER THAN	N HIGHER THAN	THE SAME AS
the average cycle	inventory of LP mo	otors.	
Explain			
Statement 2:			
The average time spe	ent in inventory by a	an HP motor will be	
Circle One:	LESS THAN	MORE THAN	THE SAME AS
the average time	spent in inventory b	y LP motor.	
Explain			

For the next two statements consider the following scenario:

Your store sells personal radios that come in two versions – jogger and biker. The products currently have different plastic casings (one each for jogger and biker) and different microchips (the jogger microchip handles more vibrations). Currently, the supplier assembles both models and ships them to retailers. However, the supplier is redesigning the product so that a generic casing will be used for both models. Retailers will get an inventory of radio kits (the casing and other common components but not the microchip) and of two types of microchips. The retail store will assemble the appropriate radio upon the customer's request. (This takes just a few minutes.) The lead-time to acquire kits or chips will be the same as the current lead times for radios.

Statement 1:

Following this change, the inventory of *casings* will

Circle One:	LESS THAN	MORE THAN	THE SAME AS	
the total number	radios you currently	hold.		
Explain				
Statement 2:				
Following this ch	ange, the inventory	of chips will be		
Circle One:	LESS THAN	MORE THAN	THE SAME AS	
the total number	radios you currently	hold.		
Explain				

The village board of SnowCity, must contract for plowing services. Weekly snowfall during is normally distributed with a mean of 10 inches and a standard deviation of 3 inches. The board is considering a long term contract with a snow removal company which charges \$1000 per truck per week contracted. Thus, if the board signs a long-term contract for 3 trucks, they pay \$3,000 per week whether the trucks are used or not. Each truck is capable of clearing 2 inches of snow per week. If snowfall in a week exceeds the quantity that can be handled by the trucks included in the long term contract, the board must make emergency arrangements at a cost of \$2,500 for each additional truck brought in. For how many trucks should the board sign a long term contract? (For simplicity, you may assume that a fractional number of trucks can be obtained, i.e., 3.5 trucks is an acceptable answer.)

They should contract for _____trucks.

Question 13

The Home and Garden (HG) chain of superstores imports decorative planters from Italy. Weekly demand for planters averages 1,500. Each planter costs \$10. HG incurs a holding cost of 25% per year to carry inventory. HG has an opportunity to set up a superstore in the Phoenix region. Each order shipped from Italy incurs a fixed transportation and delivery cost of \$10,000. Consider 52 weeks in the year.

a. What is the optimal order quantity of planters for HG? What are its resulting annual holding and ordering costs?

Optimal order quantity = Holding and ordering costs are	\$per year.
---	-------------

b. Demand is not constant week to week. The standard deviation of weekly demand is 800 planters. If the delivery lead time from Italy is 4 weeks and HG wants to provide its customers a cycle service level of 90%, how much safety stock should it carry? By how much does this change costs?

The optimal safety stock is _____

This (circle one)	INCREASES	DECREASES	annual costs by \$	per year.

c. Fastship is a new shipping company that promises to reduce the delivery lead time for planters from 4 to 1 week using a faster ship and expedited customs clearance. Using fast ship will add \$0.2 to the cost of each planter compared to the current approach. Should HG go with Fastship? Why?

HG (circle one) SHOULD SHOULD NOT go with Fastship.

Explain

SAMPLE FINAL EXAM SOLUTIONS

Question 1

In 2002, Baja Fresh was the leading chain in the quick-service, "Fresh-Mex" restaurant segment, which emphasizes freshly prepared meals. By 2005, it had lost that position to Chipotle Mexican Grill. Today, it lags behind both Chipotle and Qdoba Mexican Grill. Many industry observers claim that the breadth of Baja Fresh's menu is partially to blame. The chain has always offered a wide variety of items while Chipotle's menu features less than 20 choices. Why would the range of offerings be a problem for a quick-service restaurant?

Firms face trade offs in process design. One such trade off is between variety and speed. Holding cost and quality constant, it will difficult for Baja Fresh to match Chipotle in terms of speed with its wider variety. Alternatively, Baja Fresh's variety may force it to sacrifice quality or cost.

Question 2


When a Palu Gear store manages its inventory of jackets by ordering 520 jackets when inventory hits the reorder point of 188 jackets, it is using a pull system.

Circle one: Tru False

Explain:

The action (i.e., ordering) is driven demand (which is what drops the inventory below the reorder point). Hence, it is a pull system.

Consider the following process:



Each activity is performed by a separate resource (activity A is performed by Lowell; Activity B is by Julio and so on). Activity A takes 8 minutes, Activity B takes 4 minutes, Activity D takes 9 minutes, and Activity E takes 10 minutes. Further, Dustin can process 10 units per hour. Note that Activity E cannot begin until a flow unit has completed both Activities C and D.

a) What is the bottleneck of the process? What is the capacity of the process (in units per hour)?

The bottleneck is Kevin

The process capacity is <u>6</u> units per hour.

Resource	Unit Load	Resource Capacity				
	(time/job)	Unit Capacity	# of units	Total		
Lowell	8 min/unit	7.5 units/hour	1	7.5 units/hour		
Jason	9 min/unit	6.67	1	6.67		
Julio	4 min/bag	15	1	15		
Dustin	6 min/unit	10	1	10		
Kevin	10min/unit	6		6		

If Dustin's capacity is	10/hr, his unit	load must be 6 min/unit.	We then have the following:
- <i>j</i> =			<i>jene</i> , <i>jene</i>

b) What is the theoretical flow time of the process (in minutes)?

The theoretical flow time is <u>28</u> minutes.

The longer path through the process goes through activities B and C.

Thus TFT is 8*min*+4*min*+6*min*+10*min*=28*mins*

c) If the process runs at 75% of capacity and there are on average 9 jobs in the system, what is the average flow time for a job (in hours)?

The average flow time is <u>2</u> hours.

R = 0.75*6=4.5 units/hour

I=9 jobs

T=I/R=9/4.5=2hours

Companies like Motorola aim for six-sigma, which theoretically corresponds to just 2 defective parts per billion produced. Give **two** practical reasons why six-sigma would be a reasonable goal for a process.

Reason 1:

Production process with multiple stages. When there is a chance that each stage of the process might fail, the total yield can be much less than the yield at any one stage. Hence, increasing the sigma capability assures high yields for the whole process.

Reason 2.

Processes may be subject to mean shifts. When the mean shifts, the rate of non-conforming product goes up. However, if the standard deviation is very small (i.e., the sigma capability is high), the rate of good product is still high.

Question 5

Agree or disagree with the following: At "3 σ " control limits, the probability that a process produces defectives (outside customer specifications) is around 0.3%.

Circle one:	True	False
-------------	------	-------

Explain:

False, because control limits are 'internal' measures, quite apart from customer specification limits.

Pumping Iron, Inc. produces pistons used in various industrial pumps. A customer places a large order for pistons of diameter 10 cm. The customer says he will only accept pistons within a 0.2 cm tolerance (i.e., pistons between 9.8 cm and 10.2 cm are acceptable to the customer). Pumping Iron, Inc. sets the mean of its piston-production process at 10 cm.

a. Pumping Iron wants a 2.5σ process. What standard deviation should it aim for (in centimeters)? What fraction of output will conform to the customer's specification?

It should set its standard deviation to	0.08	centimeters and	98.76	% of output
will be within the customer's specification	IS.			

To find the required standard deviation: $\sigma = (10.2-10)/2.5 = 0.08$

Normdist(10.2, 10, 0.08, True) - Normdist(9.8, 10, 0.08, True)= 0.9876

b. Pumping Iron wants to introduce statistical process control. It tells the machine operator to use a sample size of 16. If Pumping Iron follows standard industry practice, how should it set its control limits?

UCL <u>10.06</u> cm LCL <u>9.94</u> cm

 $UCL = Sample Mean + 3 \sigma_{Xbar} = 10 + 3 \sigma/Sqrt(N) = 10 + 3 \times 0.08/Sqrt(16) = 10 + 3 \times 0.02 = 10.06$

LCL = Sample Mean – $3 \sigma_{Xbar} = 10 - 3 \sigma/Sqrt(N) = 10 - 3 \times 0.08/Sqrt(16) = 10 - 3 \times 0.02 = 9.94$

The gym facilities at Western University have recently been renovated with a significant amount of new workout equipment. The four new elliptical trainers have proven particularly popular. Indeed, they have been so popular that gym patrons have been complaining to gym manager Evan North about the difficulty of getting on the machines. Currently, there is a sign up board for each machine that can hold up to three names. Gym users are only allowed to sign up for one machine and must come to the gym to do so. Gym patrons frequently complain that they aren't even able to sign up for a machine. Gym users also complain about long waits once they get on the sign up board. Once a patron gets on a machine, he or she works out for any where between 15 and 70 minutes. The average user does a 30 minute work out on the machine. Users have suggested adding additional elliptical trainers. North would love to do this but doubts that Western would be willing to spend additional money on the gym so shortly after a major renovation. He wonders what else he could do improve the situation.

Provide North with three suggestions. For each one, say what impact you expect your suggestion to have on the ability to sign up for an elliptical trainer and on the wait to begin a work out. Explain why your proposal will deliver the expected results.

Option 1: Have a common waiting list. Pooling the machines will reduce the average waiting time and line length. This reduces the average wait and makes it easier to get on the sign up list. **NOTE: To receive full credit an answer must include this option.**

Option 2: Reduce the utilization of the machines – at least during peak times. This can be done in a number of ways:

- Derived Limit the time on the machines. Imposing a maximum of time on the machines of, say, 30 minutes will reduce the utilization of the machines and potentially limit the variability in the service time.
- Description of the day and both lowers the utilization during peak hours and reduce the variability of arrivals.
- Description of the use of other machines. This shifts work from the elliptical trainers to other (presumably less utilized) machines.

Option 3: Increase the length of the sign up queue. Allowing more people to join the queue will make it easier to sign up but will increase the waiting time for those who wait. NOTE: To receive full credit a discussion of this option must include the observation that average waits will go up with increasing the length of the sign up list.

Option 4: Take reservations for the machines. Queuing is driven by variability in arrivals or services. Taking reservations will reduce variability in arrivals.

The Bedford Clinic is a large medical center affiliated with a regional heath maintenance organization. In order to keep costs down, the clinic has experimented with a number of programs to reduce the number of clinic visits per patient. In the pediatrics practice, for example, a system has been established to determine over the telephone whether a child with a cold or fever needs to see a doctor or whether the child can simply be treated at home. The process works as follows. All arriving calls to a pediatrics help line are answered by a single clerk who calls up the patient's computer record and then forwards the call along with the relevant patient information to a team of nurses. Thus, when a nurse from the team answers the forwarded call, information such as the patient's age and recent medical history simultaneously appears on the nurse's computer screen.

On the whole, the system has worked well but recently Joan Oates, the clinic's operations manager, has received a number of complaints. Primarily complaints have centered on long delays to speak with the clerk, the first step in the process. Patients see little value in this largely clerical step and resent waiting. There have also been a few complaints about getting busy signals when calling the pediatrics help line.

Two remedies have been suggested. The first requires re-programming the clinic's rather old phone system to increase the number of calls that can wait for the clerk from five to seven. The alternative is a modest change in the computerized form the clerk must complete before forwarding a call. This change would reduce the time of the clerk's task by 10%. Oates estimates that implementing either solution will cost roughly the same amount.

If only one of the proposals can be implemented, which would you recommend? Justify your answer.

Circle one: Add Phone Lines Alter Form

Because:

Adding phones line will increase the wait in the system, exacerbating the primary complaint. Altering the form reduces the wait in the system as well as reducing the number of busy signals.

Note: To receive full credit, an answer must clearly indicate that adding lines will increase the average wait in the system.

Wildcat Walk-In Clinics (WWIC) is a chain of medical clinics that specialize in convenient treatment of a limited range of basic illnesses. A typical WWIC is located in a drug store and is staffed by nurse practitioners (NPs). The NPs are the only employees at a location. WWIC has an average revenue of \$55 per patient visit. An NP spends on average 20 minutes to process a patient although there is significant variability in this time. (Assume the time is exponentially distributed.) NPs are paid \$15 per hour plus \$10 per patient seen.

a) A particular WWIC location is staffed with 2 NPs. Patients arrive at a rate of 3.9 per hour. (The time between patients is approximately exponentially distributed.) What is utilization of the NPs? What is the probability that a patient has to wait before being seen by a NP?

```
The utilization of the nurse practitioners is <u>65</u>%.
```

The probability a patient has to wait is <u>51.21</u>%.

We use Queue.xls with the following:

2	Number of Servers, c =
3.9	Arrival Rate, R _i =
	Service Rate Capacity of each
3	server, R _p =

We get a utilization of 3.9/6 = 65%

To determine the chance of waiting, we have

T: Probability of more than 0 time-units waiting = 51.21%

b) WWIC is considering offering patients who wait more than 15 minutes before being seen a \$10 discount on their visit. What would be the clinic's hourly margin if this plan were implemented?

The clinic's hourly margin would be \$ <u>133.69</u> per hour.

First, we determine the fraction of customer getting a discount: T: Probability of more than 0.25 time-units waiting = 30.29%The number of customers receiving the discount is 1.181/hour. We then have Revenue 3.9*55 = \$214.50/hour Labor cost: 2*15 + 10*3.9 = 30 + 39 = \$69/hour Penalties: 10*1.18 = 11.81

Margin: 214.5-69-11.81 = \$133.69/hour

For the next two statements consider the following scenario:

Superfast manufactures and sells a wide variety of motors to industrial customers. All motors cost about the same and are assembled on the same line. Switching over from assembling one motor to another requires about two hours regardless of the motors involved. Superfast assembles motors to be stocked in distribution center from where they are shipped as orders arrive. HP is the highest selling motor (in terms of units sold) and LP is the lowest selling.

Statement 1:

The average cycle inventory of HP motors will be

Circle One: LOWER THAN HIGHER THAN THE SAME AS

the average cycle inventory of LP motors.

Explain:

The average cycle inventory of HP motors will be higher because of higher demand. For the same setup and holding cost, HP will be produced in larger batches (i.e., larger EOQ natch size)..

Statement 2:

The average time spent in inventory by an HP motor will be

Circle One: LESS MORE THAN THE SAME AS

the average time spent in inventory by LP motor.

Explain:

The average time spent by HP motors will be less. Cycle inventory is proportional to the square root of demand. Time=Inventory/demand. Suppose that demand for HP motors will be k times larger than demand for LP motors. Then, inventory for HP motors will be sqrt(k) times larger than for LP motor. However the average fime for HP motors will be sqrt(k)/k = 1/sqrt(k) times less than that for LP motors.

For the next two statements consider the following scenario:

Your store sells personal radios that come in two versions – jogger and biker. The products currently have different plastic casings (one each for jogger and biker) and different microchips (the jogger microchip handles more vibrations). Currently, the supplier assembles both models and ships them to retailers. However, the supplier is redesigning the product so that a generic casing will be used for both models. Retailers will get an inventory of radio kits (the casing and other common components but not the microchip) and of two types of microchips. The retail store will assemble the appropriate radio upon the customer's request. (This takes just a few minutes.) The lead-time to acquire kits or chips will be the same as the current lead times for radios.

Statement 1:

Following this change, the inventory of casings will

Circle One:

MORE THAN

THE SAME AS

the total number radios you currently hold.

LESS

Explain:

The inventory of casing will go down to pooling. Letting σ_j and σ_b be respectively the standard deviations of jogger and biker demand, the standard deviation of demand for the casings will be $Sqrt(\sigma_j + \sigma_b)$. Safety stock will now be proportional to $Sqrt(\sigma_j^2 + \sigma_b^2)$. Previously, safety for joggers would proportional to σ_j while safety for bikers was proportional to σ_b . However, $Sqrt(\sigma_j^2 + \sigma_b^2) < \sigma_j + \sigma_b$.

Statement 2:

Following this change, the inventory of chips will be

Circle One: LESS THAN MORE THAN

THE SAME

the total number radios you currently hold.

Explain

The inventory of chips will remain the same since the store must still carry two variants of chips.

The village board of SnowCity, must contract for plowing services. Weekly snowfall during is normally distributed with a mean of 10 inches and a standard deviation of 3 inches. The board is considering a long term contract with a snow removal company which charges \$1000 per truck per week contracted. Thus, if the board signs a long-term contract for 3 trucks, they pay \$3,000 per week whether the trucks are used or not. Each truck is capable of clearing 2 inches of snow per week. If snowfall in a week exceeds the quantity that can be handled by the trucks included in the long term contract, the board must make emergency arrangements at a cost of \$2,500 for each additional truck brought in. For how many trucks should the board sign a long term contract? (For simplicity, you may assume that a fractional number of trucks can be obtained, i.e., 3.5 trucks is an acceptable answer.)

They should contract for <u>5.38</u> trucks.

Cost of understocking, MB = \$2500 - 1000 = \$1500Cost of overstocking Mc = \$1000Nesvendor fractile = MB/(MB+MC) = 1500/2500 = 0.6Thus a long term contract should be entered into with enough trucks such that snow is cleared by these trucks with 60% probability. Snow cleaned by long term trucks = 10 + normsinv(.6)*3 = 10.76 inches Number of trucks = 10.76/2 = 5.38SnowCity should thus enter into a long term contract for 5.38 trucks

Question 13

The Home and Garden (HG) chain of superstores imports decorative planters from Italy. Weekly demand for planters averages 1,500. Each planter costs \$10. HG incurs a holding cost of 25% per year to carry inventory. HG has an opportunity to set up a superstore in the Phoenix region. Each order shipped from Italy incurs a fixed transportation and delivery cost of \$10,000. Consider 52 weeks in the year.

a. What is the optimal order quantity of planters for HG? What are its resulting annual holding and ordering costs?

Optimal order quantity = 24.980. Holding and ordering costs are \$ 62.450 per year.

R = 1,500/week = 78,000/year $H = rC = 0.25 \times 10 = $2.50 \text{ per planter per year.}$ S = \$10,000 $Q = Sqrt(2SR/H) = Sqrt(2 \times 10,000 \times 78,000/2.5) = Sqrt(624,000,000) = 24,980$ Annual Holding Costs = H Q/2 = 2.5 × 24,980/2 = \$31,225/year Annual Ordering Costs = S R/Q = 10,000 \times 78,000/24,980 = \$31,225/year Total \$62,450/year b. Demand is not constant week to week. The standard deviation of weekly demand is 800 planters. If the delivery lead time from Italy is 4 weeks and HG wants to provide its customers a cycle service level of 90%, how much safety stock should it carry? By how much does this change costs?

The optimal safety stock is <u>2050</u>.

 This (circle one)
 INCREASE
 DECREASES
 annual costs by \$______per year.

 $I_{s} = NORMSINV(.9)*sqrt(4)*800 = 2050$

Added costs are $H I_s = 2.50 \times 2050 = $5,125/year$

c. Fastship is a new shipping company that promises to reduce the delivery lead time for planters from 4 to 1 week using a faster ship and expedited customs clearance. Using fast ship will add \$0.2 to the cost of each planter compared to the current approach. Should HG go with Fastship? Why?

HG (circle one) SHOULD SHOULD NOT go with Fastship.

Explain

We first observe that any savings from this program will come from reducing safety stock. Thus to be worthwhile the program has to cost less than \$5,125/year. However, it adds 20¢ to every planter. That costs $0.2 \times 78,000 = $15,600/year$.