# DISCUSSION PAPER NO. 149

# OPTIMAL FACILITY LOCATION UNDER

# RANDOM DEMAND WITH GENERAL COST STRUCTURE

bу

V. Balachandran and Suresh Jain\*
June 5, 1975

Graduate School of Management Northwestern University Evanston, Illinois 60201

#### ABSTRACT

This paper investigates the problem of determining the optimal location of plants and their respective production and distribution levels, in order to meet demand at a finite number of centers. The possible locations of plants are restricted to a finite set of sites and the demands are allowed to be a random. The cost structure of operating a plant is dependent on its location and is assumed to be a piecewise linear function of the production level, though not necessarily concave or convex. The paper is organized in three parts. In the first part a branch and bound procedure for the general piecewise linear cost problem is presented assuming that the demand is known. In the second part a solution procedure is presented for the case when the demand is random, assuming a linear cost of production. Finally, in the third part, a solution procedure is presented for the general problem utilizing the results of the earlier parts. Certain extensions, such as capacity expansion or reduction at existing plants, and geo-political configuration constraints can be easily incorporated within this framework.

### 1. Introduction

The facility location problem and related problems are of relevance in the long range planning of a firm's operations. These problems involve the determination of the location of the facilities, their associated capacity, and the distribution of the product from these facilities to the different demand centers. Different aspects of this problem have been investigated by a number of researchers under varied assumptions [2, 10, 14, 15, 17]. In our

<sup>\*</sup>The authors wish to express their appreciation for the helpful comments of a referee.

paper we consider a generalized version of the above problem. Specifically, we consider the case where the location of facilities and their sizes are to be decided upon, in order to satisfy the demand from different centers. The demand at these different centers is assumed to be random and the cost associated with the production at any facility is assumed to be a piece-wise linear function though not necessarily convex or concave. In the next section we consider the problem formulation and its motivation.

## Model Formulation

A firm manufactures a product which is required at n different demand centers. The demand  $b_j$  ( $j=1,2,\ldots,n$ ), at each center, is assumed to be a random variable whose marginal density  $f(b_j)$  is assumed to be known. The firm has the option of setting up facilities at different sites, i ( $i=1,2,\ldots,m$ ). The possible capacities of the facility at site i can be any non-negative integer  $a_{ir}$  from the ordered set  $A_i$ , where  $A_i = \{a_{ir} | r=1,2,\ldots,m_i \text{ and } a_{ir} < a_{ir+1} \text{ for } r=1,2,\ldots,m_i-1\}$ . The first element of each of the sets  $A_i$  ( $i=1,2,\ldots,m$ ) is assumed to be 0 and corresponds to the decision of not locating a facility at site i and the last element  $a_{im}$  corresponds to the maximum possible production at site i. The cost of producing  $y_i$  units at site i is  $f_i(y_i)$  where  $f_i(\cdot)$  is a piece-wise linear function defined on the set of non-negative integers. Specifically,

$$(1) \quad f_{\mathbf{i}}(y_{\mathbf{i}}) = \begin{cases} 0 & \text{if} & y_{\mathbf{i}} = a_{\mathbf{i}1} = 0 \\ K_{\mathbf{i}r} + v_{\mathbf{i}r}y_{\mathbf{i}} & \text{if} & a_{\mathbf{i}r} < y_{\mathbf{i}} \le a_{\mathbf{i},r+1} \text{ for } r = 1,2,...,m_{\mathbf{i}-1} \\ \infty & \text{if} & y_{\mathbf{i}} > a_{\mathbf{i}m_{\mathbf{i}}} \end{cases}$$

 $K_{ir}$  may be considered as the fixed component of the cost assoliated with setting up a plant of maximum capacity  $a_{i,r+1}$ , and  $v_{ir}$  is the per unit variable cost. The cost of distributing  $x_{ij}$  units from a facility at site i to demand center j is  $t_{ij}x_{ij}$  where  $t_{ij}$  is a constant. These costs may be considered as the discounted costs if a multi-period planning horizon is considered. With the above notation the problem can be formulated:

(2) Minimize 
$$Z = \sum_{i=1}^{m} f_i(y_i) + \sum_{i=1}^{m} \sum_{j=1}^{n} t_{ij}^{x_{ij}}$$

subject to

(3) 
$$\sum_{j=1}^{m} x_{ij} = B_{j} \qquad \text{for } j \in J,$$

(4) 
$$\sum_{j=1}^{n} x_{ij} = y_{i} \leq a_{im} \quad \text{for } i \in I,$$

(5) 
$$x_{ij} \ge 0, y_i \ge 0$$
,

where  $J = \{1,2,...,n\}$ ,  $I = \{1,2,...,m\}$  and  $B_j$  represents the realization of the random variable  $b_j$ .

The above formulation incorporates the problems posed by various authors. For instance, capacitated plant location problem [10], the location-allocation problem [14], and the warehouse location problem [2, 17], are all special cases of the problem posed above. A discussion of the recent research work done in this area has been presented by White and Francis [15], Soland [14] and recently by Elshafei and Haley [6]. Our formulation is similar in some respects to that of Soland [14]. Soland considers the case where the demand is deterministic and the cost functions are concave. Since the demand is generally not known with certainty as discussed in [7, 16], the consideration

of this problem with probabilistic demand appears to be more realistic. Francis and White [15] consider probabilistic demand for a different problem viz. that of determining optimum warehouse sizes only. The problem that they consider is different from ours, since they are not concerned with either the location, or the distribution aspects. Essentially their problem has no constraints of the type represented by equations (3) and (4). The consideration of random demands increases the complexity of the problem. To our knowledge, no computationally satisfactory solution of this entire problem exists in the published literature.


Further, the cost structure that is generally considered is either a fixed cost plus a variable cost such that the total cost of production is concave, or a general concave cost as in Soland [14]. In the real world, because of indivisibilities and economies/diseconomies of scale, the cost structure is often different. Hadley and Whitin [9, Chapter 2, p. 62] discuss quantity discounts where the cost function though piece-wise linear is neither concave nor convex. Rech and Barton [11] also consider nonconvex piece-wise linear cost functions for solving the transportation and related network problems. As discussed by them this cost structure arises frequently in the real world. The location, capacity and distribution problem with such a cost structure has not been discussed in the literature. In our framework such cost structures are treated.

For ease of exposition we present the solution procedure of this problem in three phases. Initially we consider the case where the demand is deterministic. We develop an algorithm treating the B<sub>j</sub>'s in (3) as known constraints. This algorithm essentially solves a deterministic facility location, capacity, and distribution problem with a general piece-wise linear cost structure. A

branch and bound procedure wherein sub-problems are solved using operator theory [12, 13] (an extension of parametric programming where simultaneous changes in the parameters of a transportation problem are investigated) is presented in Section 3 for the solution of this deterministic problem. In Section 4 we develop an algorithm to solve the probabilistic case when the cost is assumed to be a linear function. The algorithm for this probabilistic demand problem utilizes the operator theoretic approach and the Kuhn-Tucker conditions. Finally, in Section 5, we integrate the algorithms in Sections 3 and 4 to develop a solution procedure for the entire problem. We show that the branch and bound procedure of Section 3 for the entire problem results in sub-problems of the type considered in Section 4. This three-phase approach provides flexibility for a user to solve either the general problem or the special cases considered in Sections 3 and 4.

### 3. The Deterministic Demand Model

In this section, we assume that the B<sub>j</sub>'s given in equation (3) are known constants and in order to ensure a feasible solution to this deterministic problem we assume that  $\sum_{j=1}^{m} a_{j} \geq \sum_{j=1}^{m} b_{j}$ . Some of the different cost structures which arise in reality, and are permissible in our formulation are sketched in Figures 1a - 1c.



To solve this problem we apply the branch and bound procedure. We first approximate all the cost functions,  $f_i(y_i)$ , by their best linear underestimates.

<u>Definition 1</u>: A linear underestimate of the function  $f_i(y_i)$  over the interval  $R_i$  is a linear function  $\ell_0 + \ell_1 y_i$  such that

$$\boldsymbol{\ell}_0 + \boldsymbol{\ell}_i \boldsymbol{y}_i \leq \boldsymbol{f}_i (\boldsymbol{y}_i) \quad \text{for all } \boldsymbol{y}_i \in \boldsymbol{R}_i$$
 ,


and


$$\ell_0 + \ell_{\mathbf{i}} \mathbf{y_{io}} = \mathbf{f_i}(\mathbf{y_{io}}) \text{ where } \mathbf{y_{io}} \in \mathbf{R_i} \text{ and } \mathbf{y_{io}} \leq \mathbf{Y} \mathbf{y_i} \in \mathbf{R_i}.$$

(Note that  $y_i$  is discrete).

<u>Definition 2</u>: The best linear underestimate  $c_0 + c_i y_i$  of the function  $f_i(y_i)$  over the interval  $R_i$  is a linear underestimate such that if  $\ell_0 + \ell_i y_i$  is any linear underestimate of the function  $f_i(y_i)$  over  $R_i$  then  $c_i \geq \ell_i$ .

## Illustration of the Best Linear Underestimates





Cost function is OABCD.

As illustrated in Figure 2, OE is best linear underestimate of the cost functions sketched in the interval  $[0, a_3]$ . The best linear underestimates of the cost function in the intervals  $[0, a_2]$  and  $[a_2, a_3]$  are OB and CD respectively.

Substituting the best initial linear underestimates  $c_{i0}^1 + c_{i}^1 y_i$  for each of the function  $f_i(y_i)$  over the intervals  $[a_{i1}, a_{im_i}]$  we obtain the following transportation problem after removing the constant term, if any, from the objective function (corresponding to node 1 in Figure 3). Note that constant term is zero at node 1.

(6) Minimize 
$$Z_1 = \sum_{i=1}^{m} \sum_{j=1}^{n} (c_i^1 + t_{ij}) \times_{ij}$$

subject to

(7) 
$$\sum_{j=1}^{m} x_{j} = B_{j} \quad \text{for } j \in J,$$

(9) 
$$x_{ij} \ge 0 \quad \text{for } i \in I \text{ and } j \in J \cup \{n+1\} ,$$

where,  $x_{i,n+1}$  (i = 1,2,...,m) are the slack variables. Let us denote by J' the set J U {n+1}. Let the optimal solution to this approximate problem be  $X^1 = \{x_{ij}^1\}$  and its optimal cost be  $Z_1(X^1)$ . (In general at node's we let  $X^s$  and  $y_i^s$  denote the optimal solution of the approximate transportation problem, and the resultant production at plant i respectively. Note that  $y_i^s = \sum_{j \in J} x_{ij}^s$ . If  $Z(X^1)$  is the value of the original objective function (2) for the solution vector  $X^1$  then we can easily prove the following result:

If  $X^*$  is the optimal solution vector to the original problem represented by equations (2) - (5) then the optimal value  $Z(X^*)$  is bounded above by  $Z(X^1)$  and bounded below by  $Z_1(X^1)$ .

If L and U denote the current lower and upper bounds, then after solving the first approximate problem corresponding to node 1 (Figure 3), we have

$$L = Z_1(X^1),$$

and

$$u = z(x^1)$$
.

After solving the first approximate problem we partition the domain of definition of one of the functions  $f_i(y_i)$  so as to obtain better linear underestimates in each of the different segments of the partition. A number of different rules could be used to determine the index  $i(i \in I)$  on which to partition. Further, there is also the option of determining the number of segments in the partition, which would equal the number of branches. In this paper we provide one rule for obtaining two branches. This rule is similar to the one proposed by Rech and Barton [11]. We determine the first index k, k  $\in$  I such that

(10) 
$$f_{k}(y_{k}^{1}) - c_{k}^{1}y_{k}^{1} - \ell_{k0}^{1} \ge f_{i}(y_{i}^{1}) - c_{i}^{1}y_{i}^{1} - \ell_{i0}^{1}, \text{ for } \forall i \in I,$$

(11) 
$$f_k(y_k^1) - c_k^1 y_k^1 - \ell_{k0}^1 > 0 ,$$

where

and

$$y_{i}^{1} = \sum_{i \in J} x_{ij}^{1}.$$

The two branches that we obtain are

$$y_k \le a_{k,t},$$

and

(14) 
$$y_k > a_{k,t}$$
,

where

(15) 
$$a_{k,t} < y_k^1 \le a_{k,t+1}$$
.

Thus at each stage of the branching process we generate two additional sub-problems which can be represented by nodes in the branching tree. These nodes are numbered sequentially as the sub-problems are generated. These sub-problems partition the domain of definition of  $f_k(y_k)$ . We substitute the best linear approximation of  $f_k(y_k)$  in each of these partitions and add the relevant constraint from the set (13)-(14) to each of the sub-problems. The resultant problems are capicated transportation problems. In general, at a specific node s, which is obtained as a branch from node p by partitioning an index  $k(k \in I)$  satisfying inequalities similar to (10)-(11) the following problem results:

(6') Minimize 
$$Z_1 = \sum_{i=1}^{m} \sum_{j=1}^{n} (c_i^s + t_{ij}) x_{ij} + K^s$$

subject to

(7') 
$$\sum_{i=1}^{m} x_{ij} = B_{j} \quad \text{for } j \in J,$$

(9') 
$$\begin{cases} x_{in+1} \leq u_i^s & \text{for } i \in I, \\ x_{ij} \geq 0 & \text{for } i \in I \text{ and } j \in J', \end{cases}$$

where

(i) 
$$c_i^s = c_i^p$$
,  $U_i^s = U_i^p$ ,  $u_i^s = u_i^p$  for  $i \neq k$ ,

(ii) and for i = k, if  $\gamma_{0k}^s + \gamma_k^s y_k$  is the best linear underestimate in the relevant partitioned domain of  $y_k$  at node s then

$$c_k^s = \gamma_k^s$$
 ,  $K^s = K^p + \gamma_{0k}^s - \gamma_{0k}^p$  .

Further, if node s corresponds to the branch associated with inequality similar to (13) we have  $\mathbf{U}_k^S = \mathbf{a}_{kt}$ ,  $\mathbf{u}_k^S = \mathbf{u}_k^p$ . If node s corresponds to the branch associated with an inequality similar to (14), then  $\mathbf{U}_k^S = \mathbf{U}_k^p$ ,  $\mathbf{u}_k^S = \mathbf{u}_k^p - \mathbf{a}_{kt}$ .

Note: Initially at node 1, we have  $K^1 = 0$ ,  $U_i^1 = a_{im_i}$ ,  $u_i^1 = a_{im_i}$  and  $c_i^1$  have been defined earlier.

Thus the following changes occur in each of the branches:

- (i) cost coefficients of all  $x_{kj}$ , j = 1, 2, ..., n differ by some constant amount-- $k_1$  in one of the branches and  $k_2$  in the other branch.
- (ii) capacity of plant k is changed in one of the branches and the upper bound of the slack variable  $(x_{k,n+1})$  corresponding to plant k is changed in the second one.

We may remark here that the new solutions, taking into consideration the above changes, can be generated (without resolving) by the operator theoretic approach discussed in [12, 13].

In Figure 1, if  $X^2$  and  $X^3$  are the optimal solutions to the approximate problems generated by the branching process at nodes 2 and 3, then we can show that the current lower bound, L, and upper bound, U, satisfy the following: (by an argument similar to the one in Lemma 1).

L = Minimum[
$$Z_1(x^2)$$
,  $Z_1(x^3)$ ]  $\geq Z_1(x^1)$ ,  
U = Minimum[ $Z(x^1)$ ,  $Z(x^2)$ ,  $Z(x^3)$ ],

and

$$L \leq Z(X^*) \leq U$$
.

Remark: The strict inequality  $L > Z_1(X^1)$  generally holds because the best linear underestimates in at least one of the partitions has to be strictly greater than the previous best linear underestimate since (11) holds. In the case when there is an alternate optimal solution and the revised best linear underestimate corresponding to the branch with this alternate optimal solution is unchanged, then the strict inequality will not hold.

If  $L = Z_1(X^2)$  we branch on the node corresponding to the solution  $X^2$  to obtain nodes 4 and 5 as shown in Figure 3. If  $X^4$  and  $X^5$  are the solutions at these nodes then the new current lower and upper bounds are given by

$$L = Min[z_1(x^4), z_1(x^5), z_1(x^3)],$$

and

$$U = Min[z(x^1), z(x^2), z(x^3), z(x^4), z(x^4)]$$


Thus the current lower bound, L, at any stage equals the minimum of the lower bounds at the open nodes (nodes from where there are no branches), whereas the current upper bound, U, is the minimum of the upper bound over all the nodes. The algorithm terminates when the current lower bound equals the current upper bound at the same stage. This process terminates in a finite number of steps since the number of sites is finite and since at each branch we partition the domain of definition of the  $y_i$ 's into disjoint intervals. Further, since each of the  $f_i(y_i)$  is a piece-wise linear function we cannot have more than  $m_i$  partition on the variable  $y_i$  before we have the best linear underestimate equal the function itself, and thereby not allowing further branching on the variable  $y_i$ .

We therefore have the following algorithm.

# Algorithm I:

- Step 0: For each of the functions  $f_i(y_i)$  substitute  $c_{i0}^1 + c_{i}^1 y_i$ , the best linear underestimate of  $f_i(y_i)$  for  $a_{i1} \leq y_i \leq a_{im_i}$ . Solve the resultant transportation problem, and create an open node corresponding to the solution  $x^1$ . The current lower bound is  $Z_1(x^1)$  and the current upper bound is  $Z(x^1)$ .
- Step 1: If the current lower bound equals the current upper bound and occur at the same node then terminate. The optimal solution corresponds to the solution at the node where these bounds are equal. Otherwise go to step 2.
- Step 2: Determine the open node with the current lower bound and partition on the index k that satisfies equations (11)-(13). Close this node and generate two additional open nodes corresponding to equations (13) and (14).

Figure 3
Branch and Bound Procedure



Solve the two resultant transportation problems using operator theory from the solution of the old open node. If any of the resultant transportation problems has no feasible solution then close that node and drop it from consideration for further branching. Let the upper bound associated with such a node equal  $\infty$ . Determine the current lower bound over all the open nodes, and the current upper bound over all the nodes. Go to Step 1.

Remark: If at a branch (node) some  $y_k \le a_{k1} = 0$  (no plant at site k), then in the resultant transportation problem the variables  $x_{kj}$  for  $j \in J'$  can be set to zero, or alternatively dropped.

# 4. The Probabilistic Model

In this section we investigate the problem in equations (6')-(9') with special emphasis on the case when the demands  $b_j$ ,  $j \in J$ , are random and the functions  $f_i(y_i)$  are linear. The demand is assumed to follow some known multivariate distribution, which allows interaction among the demands at the different centers. Let  $f(b_j)$  represent the marginal density function of  $b_j$ . We therefore have the following problem (after removing the superscripts for ease of exposition).

(16) 
$$\min \sum_{i \in I} \sum_{j \in J} c_{i}x_{ij} + \sum_{i \in I} \sum_{j \in J} c_{i}x_{ij}$$

such that

(18) 
$$\sum_{j \in J} x_{ij} + x_{i,n+1} = U_i \forall i \in I,$$

(19) 
$$x_{ij} \geq 0 \text{ for } \forall i \in I \text{ and } j \in J,$$

(20) 
$$0 \leq x_{i,n+1} \leq u_i \text{ for } \forall i \in I,$$

where each  $b_j$  is assumed to be random with known marginal density (or mass) function  $f(b_j)$ . Though  $b_j$  is a discrete random variable, for ease of theoretical exposition, we consider only the continuous approximation of  $b_j$ .

The solution procedure presented in this section is based on the theory of "Two Stage Linear Programming Under Uncertainty" also called as "Stochastic Programming with Recourse", as proposed by Dantzig and Madansky [5], and others, [4, 7, 8, 16]. In order to solve this problem we make the following assumptions, which are similar to the ones used by all the above mentioned authors.

- (A1) The marginal distribution  $f(b_i)$  of each  $b_i$  is known.
- (A2) This distribution  $f(b_j)$  is independent of the choice of  $x_{ij}$ .

Charnes, Cooper and Thompson [4] have shown that the two stage linear program is equivalent to a constrained generalized median problem whose objective function has some absolute value terms. This objective function was shown to be equivalent to a mathematically tractable function by Garstka [8]. In this section we essentially follow the approach and notation given by Garstka [8].

Since each  $b_j$  is random, all the constraints given by equation (17) need not be exactly met. We therefore assume that the firm experiences an opportunity cost of lost demand. This cost,  $p_j \geq 0$ , is assumed to be linear and treated as the per unit penalty cost of not satisfying demand at center j. Similarly, if we have more supply than the demand, then there may be a penalty due to holding, storing, and obsolescence. Let us assume that this per unit penalty,  $d_j \geq 0$ , due to overproduction is also linear at center j. Following Charnes, Cooper and Thompson, the total penalty costs associated with demand exceeding production is:

It can be verified easily that if the production exceeds demand, viz., if  $\Sigma \times_{ij} > b_j, \text{ then the above penalty is zero. Similarly, the total penalty cost is associated with excess production is}$ 

(22) 
$$\frac{1}{2}d_{j}\left\{\left|\sum_{i \in I} x_{ij} - b_{j}\right| + \left(\sum_{i \in I} x_{ij} - b_{j}\right)\right\}.$$

Following the approach of two stage linear programming under uncertainty [4, 5, 7] we consider our objective function to equal the expected value of the total production costs, distribution costs, and costs due to under and over production.

The problem (16)-(20) is therefore equivalent to

(23) Minimize 
$$E\begin{bmatrix} \sum \sum c_{i}x_{ij} + \sum \sum t_{ij}x_{ij} \\ i \in I j \in J \end{bmatrix} + \sum_{i \in I} \sum_{j \in J} c_{i}x_{ij} + \sum_{i \in I} \sum_{j \in J} c_{i}x_{ij} + \sum_{i \in I} \sum_{j \in J} c_{i}x_{ij} + \sum_{i \in I} c_{i}x_{ij} +$$

subject to

(24) 
$$\sum_{i \in J} x_{ij} + x_{i,n+1} = U_i \text{ for } \forall i \in I,$$

(25) 
$$x_{ij} \ge 0 \text{ for } \forall i \in I \text{ and } j \in J,$$

$$0 \le x_{i,n+1} \le u_i \text{ for } \forall i \in I,$$

Let us denote  $\sum_{i \in I} x_{ij}$  by  $b_{jo}$ , and  $c_i + t_{ij}$  by  $C_{ij}$  for  $i \in I$  and  $j \in J$ . It has been shown by Garstka [8] that the objective function given in (23) can be transformed into

(27) 
$$\min_{1} F_{1} + F_{2}$$

where

(28) 
$$F_{1} = \sum_{i \in I} \sum_{j \in J} \frac{1}{2} (2C_{ij} - p_{j} + d_{j}) x_{ij},$$

(29) 
$$F_{2} = \sum_{j \in J} (p_{j} + d_{j}) \int_{b_{j0}}^{b_{jm}} (b_{j} - \sum_{i \in I} x_{ij}) f(b_{j}) db_{j}$$

where  $b_{jm}$  is the median of the random variable  $b_{j}$  whose marginal density (mass) function is  $f(b_{j})$ .

It is seen that  $F_1$  is linear and it can be proved easily that  $F_2$  is convex (see Garstka [8, page 11]). If  $\lambda_i$  and  $\mu_i$  are the dual variables corresponding to constraints (17) and (20) respectively, then by the Kuhn-Tucker conditions the optimal solution  $X^* = \{x_{ij}^*\}, \, \mu_i^*, \, \text{and } \lambda_i^* \, \text{satisfy the following:}$ 

(30) 
$$\lambda_i^*$$
 are unconstrained for  $i \in I$ 

$$\mu_{i}^{*} \leq 0 \text{ for } i \in I$$

(32) 
$$C_{ij} = \frac{1}{2}p_j + \frac{1}{2}d_j - \sum_{j \in J} (p_j + d_j) \int_{b_{j0}}^{b_{jm}} f(b_j)db_j - \lambda_i^* \ge 0 \text{ for } \forall i \in I \text{ and } j \in J,$$

(33) 
$$\sum_{i \in J} x_{ij}^* = U_i \text{ for } \forall i \in I,$$

(34) 
$$x_{\mathbf{i},\mathbf{n}+1}^* \leq u_{\mathbf{i}} \text{ for } \forall \mathbf{i} \in \mathbf{I},$$

(35) 
$$x_{ij}^* \ge 0 \text{ for } \forall i \in I \text{ and } j \in J',$$

(36) 
$$x_{ij}^* \cdot \{\text{left hand side of (32)}\} = 0 \text{ for } i \in I \text{ and } j \in J.$$

(37) 
$$x_{i,n+1}^*(-\mu_i^* - \lambda_i^*) = 0 \text{ for } i \in I,$$

(38) 
$$(u_i - x_{i,n+1}^*)\mu_i^* = 0 \text{ for } i \in I.$$

These conditions given by (30)-(38) provide a basis for solving the stochastic capacitated transportation problem. Based on these conditions, the following propositions P1, P2, and P3 can be proved. The proofs are similar to those provided by Garstka [8].

- P1. For any  $i \in I$  and  $j \in J$ , if  $C_{ij} > p_j$ , then  $x_{ij} \equiv 0$ .
- P2. For any j  $\in$  J and all i  $\in$  I, if  $C_{ij} \ge (p_j d_j)/2$ , then  $\sum_{i \in I} x_{ij} \le b_{jm} \text{ in the optimal solution.}$  It may be noticed that

if  $p_j < d_j$ , the above inequality trivially holds since  $C_{ij} \ge 0$ .

P3. For any 
$$i \in I$$
 and all  $j \in J$ , if  $C_{ij} + d_{j} < 0$  then  $\sum_{j \in J} x_{ij} = U_{i}$ 

In many situations the combined cost of production and transportation,  $C_{ij}$ , is greater than half of the difference  $(p_j - d_j)$ . Thus in the algorithm given below we assume that  $C_{ij} \geq (p_j - d_j)/2$ . Note, however, that if the per unit cost of underproduction,  $p_j$ , is less than that of overproduction,  $d_j$ , then the above assumption is unnecessary. In order to solve (30)-(38) let us pose a new deterministic transportation problem given below:

(39) Minimize 
$$F_1 = \sum_{i \in I} \sum_{j \in J} \frac{1}{2} (2C_{ij} - p_j + d_j) x_{ij}$$

such that

(40) 
$$\sum_{\mathbf{i} \in \mathbf{J}} \mathbf{x}_{\mathbf{i}\mathbf{j}} = \mathbf{U}_{\mathbf{i}} \text{ for } \mathbf{i} \in \mathbf{I}$$

$$\begin{array}{ccc} \Sigma & x & = b \\ i \in I & j & \text{for } j \in J \end{array}$$

(42) 
$$x_{ij} \ge 0 \text{ for } i \in I \text{ and } j \in J \text{ and }$$

$$0 \le x_{i,n+1} \le u_i \text{ for } i \in I$$

where  $b_{j*}$  are the realizations of  $b_{j}$ . If  $\lambda_{i}$ ,  $\mu_{i}$ , and  $\nu_{j}$  are the dual variables corresponding to constraint sets (40), (43), and (41) respectively, then by the Kuhn-Tucker conditions the optimal primal and dual variables satisfy:

(44) 
$$\lambda_{i}^{*}$$
,  $\nu_{i}^{*}$  are unconstrained, and  $\mu_{i}^{*} \leq 0$ , for  $i \in I$ ,  $j \in J$ ,

(45) 
$$C_{ij} - (p_j + d_j)/2 - \lambda_i^* - \nu_j^* \ge 0$$
, for  $i \in I$ ,  $j \in J$ ,

(46) 
$$\sum_{\mathbf{i} \in J} \mathbf{x}_{\mathbf{i}\mathbf{j}}^* = \mathbf{U}_{\mathbf{i}}, \text{ for } \mathbf{i} \in \mathbf{I},$$

(47) 
$$\sum_{i \in I} x_{ij}^* = b_{j*}, \text{ for } j \in J,$$

(48) 
$$x_{i,n+1}^* \le u_i, \text{ for } i \in I,$$

(49) 
$$x_{ij}^* \ge 0$$
, for  $i \in I$  and  $j \in J'$ ,

(50) 
$$x_{ij}^*$$
 (left hand side of (45)) = 0 for  $i \in I$  and  $j \in J$ ,

(51) 
$$x_{i,n+1}^*(-\mu_i^* - \lambda_i^*) = 0 \text{ for } i \in I,$$

(52) 
$$(u_{i} - x_{i,n+1}^{*}) \mu_{i}^{*} = 0 \text{ for } i \in I.$$

It is easy to observe the similarity of the Kuhn-Tucker conditions given in (44)-(52) to those of the original problem. Comparing equations (32) and (45), we see that a solution to (44)-(52) will satisfy the conditions of the original problem (30)-(38) if

(53) 
$$v_{j}^{*} = (p_{j} + d_{j}) \int_{b_{j}0}^{b_{jm}} f(b_{j}) db_{j}.$$

Since, by assumption  $C_{ij} \ge (p_j - d_j)/2$ , by proposition P2 stated earlier

$$(54) b_{jo} = \sum_{i \in I} x_{ij} \leq b_{jm},$$

and therefore the problem reduces to finding a set of  $b_{i*}$ ,  $j \in J$ , such that

(55) 
$$v_{j}^{*} = (p_{j} + d_{j}) \int_{b_{j}^{*}}^{b_{jm}} f(b_{j}) db_{j}$$

If such  $b_{j*}$  exist, then the optimal solutions to (16)-(20) will be obtained by solving (39)-(43) with the  $b_{j*}$  replacing  $b_{j}$  in the constraint set (17). An optimal solution can now be determined by the following algorithm, providing  $C_{ij} \geq (p_{j} - d_{j})/2$ .

# Algorithm II:

Step 0: Initialization: Let k the number of iterations be 1. Find  $b_{jm}$  the median of the random variable  $b_j$  for  $\forall$   $j \in J$ , and set the initial  $b_{j*} = b_{jm}$  for  $j \in J$  in equation (44). Find the optimal solution and optimal cost to the deterministic transportation problem (39)-(43) and find the dual variables  $\lambda_i$ ,  $\mu_i$  for  $i \in I$  and  $\nu_j$  for  $j \in J$ . (Though  $\mu_i$  for  $i \in I$  are obtained they are not directly needed.) The duals  $\lambda_i$  and  $\nu_j$  are solved from the relation  $\lambda_i + \nu_j = C'_{ij} = C_{ij} - (p_j - d_j)/2$  for the (i,j) in the optimal basis. For k = 1 let the basis set be denoted by  $B^1 = \{(i,j) | x_{ij} > 0\}$  and  $A^1 = \{\lambda_i^1 | \text{the optimal values of the dual variables for } i \in I\}$  and  $V^1 = \{\nu_j^1 | \text{the optimal value of the dual variables for } j \in J\}$ . Let  $b_{j*}^1 = b_{j*}$  for  $j \in J$ .

Step 1: Iteration Procedure: Find  $b_{j*}^{k+1}$  from the following (newsboy type) relationship:

(56) 
$$v_{j}^{k} = (p_{j} + d_{j}) \int_{b_{j*}}^{b_{jm}} f(b_{j}) db_{j}.$$

- Step 2: If  $b_{j*}^{k+1} = b_{j*}^{k}$  for every  $j \in J$ , then an optimal solution to the stochastic transportation problem (16)-(20) is found and hence STOP, otherwise go to Step 3.
- Step 3: Area Rim Operator Application: Let  $\beta_j^{k+1} = b_{j*}^{k+1}$ , for  $j \in J$  and let  $\alpha_i = 0$  for  $i \in I$ . Following the algorithm given by Srinivasan and Thompson [12, page 215], apply the area operator  $\delta R^A$  with  $\delta = 1$  and the above computed  $\alpha_i$  and  $\beta_j$  to generate the new optimal solution for the  $(k+1)^{th}$  problem. Let the new duals set be  $\Lambda^{k+1}$ . Let k = k+1 and go to step (1). (Note that if  $V^{k+1}$  and  $V^k$  are the same for every j, then  $b_{j*}^{k+1} = b_{j*}^k$  so that the iteration can be stopped.)

The convergence proof of this algorithm is based on the results derived by Charnes and Cooper [3] and Charnes, Cooper, Thompson [4]. Garstka [8] has given a proof based on [3, 4] and since the proof for our algorithm is similar to that given by Garstka [8], we only provide an outline of the proof. It can be shown that  $F_2(b_j)$  is convex in  $b_j$  so that  $F_1 + F_2$  in (27) is also convex. Further, it can be shown that  $b_{j*}^{k+1} \leq b_{j*}^k$ , and thus the  $b_{j*}^k$  are monotone and bounded by  $b_{j*}^1 = b_{jm}$ . With the relationship between  $b_{j*}^{k+1}$  and  $v_j^k$  which is one to one, and due to monotonicity and convexity, convergence is established.

# 5. The General Model and Extensions

In this section we provide a solution procedure for the problem formulated in Section 2 given by equations (2)-(5). In Section 3 we provided Algorithm I based on a branch and bound procedure, to solve the above problem with the bj's

being deterministic. At every branch in this algorithm, we are faced with a deterministic transportation problem, where the right hand sides in the constraint set (3) and (4) change from branch to branch and the cost coefficients in (6) also change. However, due to the operator theory [12, 13], the optimal solutions at each branch are obtained in a computationally efficient manner. Let us represent for ease of exposition, the costs and the right hand sides of a branch s as  $c_i^s$ ,  $U_i^s$ , and  $u_i^s$  for  $i \in I$ . Now, to consider the problem (2)-(5) in its entirety it is enough, if we introduce the randomness in the  $b_i$ 's,  $j \in J$ . This leads us directly into Section 4, where these appropriate costs and right hand sides replace the corresponding ones in equations (16)-(20). Thus, Algorithm II is directly applicable to this new stochastic transportation problem provided Assumptions Al - A2 hold. It is to be noticed that tii, pi's and di's do not change. Assumptions Al and A2 are unrestrictive and can be expected to be true in most practical situations. We now present the following unified Algorithm III to solve the original problem posed by equations (2)-(6) by utilizing Algorithm I first and applying Algorithm II to each branch of Algorithm I.

# Algorithm III:

- Step 0: For each of the functions  $f_i(y_i)$  substitute  $c_{i0}^1 + c_{i}^1 y_i$ , the best linear underestimate of  $f_i(y_i)$  for  $a_{i1} \leq y_i \leq a_{im_i}$ . Solve the resultant stochastic transportation problem (6)-(9) with the assumption that  $b_j^*$  for  $j \in J$  in (7) is random, utilizing Algorithm II. Create an open node corresponding to this optimal solution  $x^1$  to the stochastic transportation problem. Denote the current lower bound as  $Z_1(x^1)$  and from the actual objective function  $Z_1$  given in (2), get the upper bound  $Z_1(x^1)$ .
- Step 1: Same as Step 1 of Algorithm I.
- Step 2: Determine that open node with the current lower bound and partition on the index k that satisfies equations (10)-(13). Close this open node and

generate two new open nodes as branches, corresponding to (13) and (14). Note that the new problem at each of these branches is a stochastic transportation problem which can be solved using Algorithm II. Determine the current lower bound over all the open nodes, and the current upper bound over all the nodes. Go to Step 1.

Remark: Since Algorithm III above is the unification of Algorithms I and II, the convergence follows due to the convergence of the earlier two algorithms.

Our algorithms facilitate easy consideration of certain extensions to the problem formulated in Section 2 such as

- (1) Inclusion of constraints requiring mandatory operation of certain plants.
- (2) Capacity expansion or reduction at existing plants.
- (3) Geo-political consideration requiring the operation of plants at mutually exclusive or mutually dependent plant sites.

Consideration of extension (1) and (2) follows from the fact that  $a_{i1}$ , and  $a_{im}$  for each  $i \in I$  are arbitrary, while extension 3 can be imposed when branching occurs.

#### REFERENCES

- [1] Balachandran, V., "The Stochastic Generalized Transportation Problem--An Operator Theoretic Approach", Management Science Research Report No. 311, GSIA, Carnegie-Mellon University, Pittsburgh, Pennsylvania, February 1973.
- [2] Baumol, W. J. and P. Wolfe, "A Warehouse Location Problem", Operations Research, Vol. 6, No. 2, pp. 252-263, 1958.
- [3] Charnes, A., and W.W. Cooper, "Systems Evaluation and Repricing Theorems",
  Management Science, Vol. 9, No. 1, pp. 33-49, 1962.
- [4] Charnes, A., W.W. Cooper, and G.L. Thompson, "Constrained Generalized Medians and Hypermedians as Deterministic Equivalents for Two-Stage Linear Programs Under Uncertainty", Management Science, Vol. 12, No. 1, 1965, pp. 83-112.
- [5] Dantzig, G.B. and Albert Madansky, "On the Solution of Two-Stage Linear Programs Under Uncertainty", Proceedings Fourth Berkeley Symposium on Mathematical Statistics and Probability, Vol. 1, J. Neyman, ed., Berkeley, 1961.
- [6] El Shafei, A.N. and K.B. Haley, "Facilities Location: Some Foundations,

  Methods of Solution, Application and Computational Experience", Operations

  Research Report No. 91, North Carolina State University, Raleigh, 1974.
- [7] Ferguson, A. R. and G. B. Dantzig, "The Allocation of Aircraft to Routes--An Example of Linear Programming Under Uncertain Demand", Management Science, Vol. 3, No. 1, pp. 45-73, 1956.
- [8] Garstka, S. J., "Computation in Stochastic Programs with Recourse", (Ph.D. Thesis), Management Science Research Report No. 204, Graduate School of Industrial Administration, Carnegie-Mellon University, Pittsburgh, Pennsylvania 15213, 1970.